


序号	产品料号	品名	颜色	材料	温度等级	适配孔径 (mm)	适配板厚 (mm)	捆扎直径 (mm)	防水	图片	插入力 Max.(N)	拔出力 Min.(N)	环拉力 Min.(N)
1	FSNA01-00001	T18R	黑色	PA66 HIRHS	-40℃~105℃			1.0-22.0					80N
2	FSNA01-00011	T18R	自然色	PA66 HIRHS	-40℃~105℃			1.0-22.0					80N
3	FSNA01-00010	T18R	自然色	PA46	-40℃~150℃			1.0-22.0					80N
4	FSNA01-00002	T30R	黑色	PA66 HIRHS	-40℃~105℃			1.0-36.0					135N
5	FSNA01-00028	T30R	自然色	PA66 HIRHS	-40℃~105℃			1.0-36.0					135N
6	FSNA01-00020	T30R	灰色	PA46	-40℃~150℃			1.0-36.0					135N
7	FSNA01-00003	T50R	黑色	PA66 HIRHS	-40℃~105℃			1.0-45.0					225N
8	FSNA01-00013	T50R	自然色	PA66 HIRHS	-40℃~105℃			1.0-45.0					225N
9	FSNA01-00019	T50R	灰色	PA46	-40℃~150℃			1.0-45.0					225N
10	FSNA01-00009	T120S	黑色	PA66 HIRHS	-40℃~105℃			5.0-80.0					535N
11	FSNA01-00005	T120R	黑色	PA66 HIRHS	-40℃~105℃			5.0-105.0					535N
12	FSNA01-00023	T50RDH	黑色	PA66 HIRHS	-40℃~105℃			2.0-45.0					225N
13	FSNN01-00002	C5CT50Rx2	黑色	PA66 HIRHS	-40℃~105℃			2.0-45.0					225N
14	FSNN01-00001	C5CT120Rx2	黑色	PA66 HIRHS	-40℃~105℃			10.0-105.0					535N
15	FSNB01-00018	T18RDP5	黑色	PA66 HIRHS	-40℃~105℃	4.9-5.1	0.6-4.0	1.5-20.0			45	110	80N
16	FSNB01-00001	T50SOSFT6.5-E4	黑色	PA66 HIRHS	-40℃~105℃	6.3-7.0	0.6-4.2	1.0-35.0			45	150	225N
17	FSNB01-00029	T50SOSFT6.5-E4	自然色	PA66 HIRHS	-40℃~105℃	6.3-7.0	0.6-4.2	1.0-35.0			45	150	225N
18	FSNB01-00023	T50SOSFT6.5LG-E4	黑色	PA66 HIRHS	-40℃~105℃	6.1-6.9 Hex 6.35±0.25	0.6-8.25	1.5-35.0			45	200	225N
19	FSNB01-00025	T50SOSFT6.5LG-E4	灰色	PA46	-40℃~150℃	6.1-6.9 Hex 6.35±0.25	0.6-8.25	1.0-35.0			45	200	225N
20	FSNB01-00013	T50SOSFT7-E	黑色	PA66 HIRHS	-40℃~105℃	6.8-7.2	0.6-6.0	1.5-35			45	200	225N
21	FSNB01-00009	T50SOSFT8-E	黑色	PA66 HIRHS	-40℃~105℃	8.0-8.5	0.6-6.0	1.0-35.0			45	200	225N
22	FSNB01-00010	T50SOSFT9-E	黑色	PA66 HIRHS	-40℃~105℃	8.8-9.2	0.8-9.0	1.0-35.0			45	200	225N
23	FSND01-00018	T18RFT4	黑色	PA66 HIRHS	-40℃~105℃	3.3-4.0	1.0-3.0	6.0-20.0			45	110	80N
24	FSND01-00019	T30RFT4	黑色	PA66 HIRHS	-40℃~105℃	3.3-4.0	1.0-3.0	6.0-31.0			45	110	135N
25	FSND01-00002	T30RFT5	黑色	PA66 HIRHS	-40℃~105℃	4.5-5.0	0.7-3.0	6.0-34.0			45	110	135N
26	FSND01-00017	T30RFT5	灰色	PA46	-40℃~150℃	4.5-5.0	0.7-3.0	6.0-34.0			45	110	135N
27	FSND01-00001	T50RFT5	黑色	PA66 HIRHS	-40℃~105℃	4.5-5.0	0.7-3.0	6.0-45.0			45	110	225N
28	FSND01-00012	T50RFT5	灰色	PA46	-40℃~150℃	4.5-5.0	0.7-3.0	6.0-45.0			45	110	225N
29	FSND01-00021	T50RFT6	黑色	PA66 HIRHS	-40℃~105℃	6.5-7.0	0.75-3.0	1.5-45.0			45	150	225N
30	FSND01-00023	T50RFT6LG	黑色	PA66 HIRHS	-40℃~105℃	6.5-7.0	0.75-6.0	4.0-45.0			45	200	225N
31	FSND01-00022	T50RFT7	黑色	PA66 HIRHS	-40℃~105℃	6.5-7.0	0.8-7.0	1.5-45.0			60	200	225N
32	FSND01-00020	T50RFT8	黑色	PA66 HIRHS	-40℃~105℃	7.7-8.0	0.8-6.0	1.5-45.0			60	300	225N
33	FSND01-00005	T50RFT9-LP	黑色	PA66 HIRHS	-40℃~105℃	8.8-9.2	0.8-9.0	4.0-45.0			60	300	225N
34	FSND01-00013	T120RFT9A	黑色	PA66 HIRHS	-40℃~105℃	8.8-9.2	1.0-6.5	5.0-105.0				300	535N
35	FSND01-00025	T50RFT10	黑色	PA66 HIRHS	-40℃~105℃	9.8-10.2	0.8-7	1.5-45.0			60	300	535N

36	FSND01-00024	T120RFT11	黑色	PA66 HIRHS	-40°C~105°C	10.8-11.2	1.0-10.0	5.0-105.0		300	535N
37	FSND01-00055	DT50RDWFT6.5LG	黑色	PA66 HIRHS	-40°C~105°C	6.1-6.9 Hex 6.35	0.6-8.25	5.0-45.0		45	200 225N
38	FSNB01-00015	T50SOSFTOVALU	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-35.0		53	200 225N
39	FSNB01-00026	T50ROSFTOVAL25R	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-50.0	25 	53	200 225N
40	FSND01-00035	T50RFTOVAL-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0		53	200 225N
41	FSND01-00062	T50RFTOVAL-A	灰色	PA46	-40°C~150°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0		53	200 225N
42	FSND01-00033	T50RFTOVAL-B	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0		53	200 225N
43	FSND01-00036	T50RFTOVAL12.5SO-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	12.5 	53	200 225N
44	FSND01-00037	T50RFTOVAL25SO-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	25 	53	200 225N
45	FSND01-00038	T50RFTOVALOS12.5-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	12.5 	53	200 225N
46	FSND01-00039	T50RFTOVALOS25-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	25 	53	200 225N
47	FSND01-00040	T50RFTOVALOS12.5-B	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	12.5 	53	200 225N
48	FSND01-00041	T50RFTOVALOS25-B	黑色	PA66 HIRHS	-40°C~105°C	6.5x12.5 6.5x13.0	0.6-6.75	2.0-45.0	25 	53	200 225N
49	FSND01-00044	T50RFT6OS12.5-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	12.5 	45	200 225N
50	FSND01-00045	T50RFT6OS25-A	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	25 	45	200 225N
51	FSND01-00046	T50RFT6OS12.5-B	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	12.5 	45	200 225N
52	FSND01-00047	T50RFT6OS25-B	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	25 	45	200 225N
53	FSND01-00052	T50RFT6OS12.5R	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	12.5 	45	200 225N
54	FSND01-00053	T50RFT6OS25R	黑色	PA66 HIRHS	-40°C~105°C	6.5x10.4	0.6-6.0	1.5-50.0	25 	45	200 225N
55	FSND01-00042	T50RFT612.5SO	黑色	PA66 HIRHS	-40°C~105°C	6.1-6.9	0.6-6.0	1.5-50.0	12.5 	45	200 225N
56	FSND01-00043	T50RFT625SO	黑色	PA66 HIRHS	-40°C~105°C	6.1-6.9	0.6-6.0	1.5-50.0	25 	45	200 225N
57	FSNC01-00014	T18RWPM	黑色	PA66 HIRHS	-40°C~105°C	4.2-5.6	1.5-3.2	1.5-20.0		45	110 80N
58	FSNC01-00018	T18RWPM	自然色	PA66 HIRHS	-40°C~105°C	4.2-5.6	1.5-3.2	1.5-20.0		45	110 80N
59	FSNC01-00015	T30RSF	黑色	PA66 HIRHS	-40°C~105°C	4.8-5.2	0.9-2.4	1.6-31.8		45	110 135N
60	FSNC01-00013	T30RSF	自然色	PA66 HIRHS	-40°C~105°C	4.8-5.2	0.9-2.4	1.6-31.8		45	110 135N
61	FSNC01-00001	T50XSFM	黑色	PA66 HIRHS	-40°C~105°C	6.1-6.6 Hex 6.35±0.25	0.7-3.0	1.0-27.0		45	200 225N
62	FSNC01-00017	T30SOS-AS-SFT6.5E2	黑色	PA66 HIRHS	-40°C~105°C	6.3-6.8	0.8-1.5	1.0-25.0		45	200 135N
63	FSNC01-00008	T50SOSFT7-E	黑色	PA66 HIRHS	-40°C~105°C	6.8-7.2	0.7-1.8	2.0-20.0		45	200 225N
64	FSNC01-00021	DT50RDWSFT6.5	黑色	PA66 HIRHS	-40°C~105°C	6.3-7.0	2.0-3.0	5.0-45.0		45	200 225N
65	FSNC01-00004	T50XSOSFT712S-E1	黑色	PA66 HIRHS	-40°C~105°C	7x12	0.6-3.2	1.0-20.0		53	110 225N
66	FSNC01-00003	T50XSOSFT712S-E1	黑色	PA66 HIRHS	-40°C~105°C	7x12	0.6-3.2	1.0-30.0		53	110 225N
67	FSNC01-00022	T60XSOSFT712-E	黑色	PA66 HIRHS	-40°C~105°C	7x12	2.5-4.5	1.5-25.0		53	100 225N
68	FSNE01-00029	T50SOSEC34E	黑色	PA66 HIRHS	-40°C~105°C		1.0-3.0	1.0-35.0		100	90 225N
69	FSNE01-00043	T50SOSEC12E	黑色	PA66 HIRHS	-40°C~105°C		1.0-3.0	1.0-35.0		100	90 225N
70	FSNE01-00001	T30REC4A	黑色	PA66 HIRHS	-40°C~105°C		1.0-3.0	4.0-33.0		100	90 135N
71	FSNE01-00002	T50REC4A	黑色	PA66 HIRHS	-40°C~105°C		1.0-3.0	4.0-45.0		100	90 225N

72	FSNE01-00004	T30REC4B	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
73	FSNE01-00005	T50REC4B	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
74	FSNE01-00007	T30REC5A	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
75	FSNE01-00008	T50REC5A	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
76	FSNE01-00010	T30REC5B	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
77	FSNE01-00011	T50REC5B	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
78	FSNE01-00014	T30REC9	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
79	FSNE01-00015	T50REC9	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
80	FSNE01-00018	T30REC10	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
81	FSNE01-00019	T50REC10	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
82	FSNE01-00022	T30REC21	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
83	FSNE01-00023	T50REC21	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
84	FSNE01-00026	T30REC22	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-33.0		100	90	135N
85	FSNE01-00027	T50REC22	黑色	PA66 HIRHS	-40°C~105°C	1.0-3.0	4.0-45.0		100	90	225N
86	FSNE01-00040	T30REC20	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-32.0		100	90	135N
87	FSNE01-00038	T50REC20	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-45.0		100	90	225N
88	FSNE01-00039	T30REC19	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-32.0		100	90	135N
89	FSNE01-00035	T50REC19	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-45.0		100	90	225N
90	FSNE01-00041	T30REC23	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-32.0		100	90	135N
91	FSNE01-00036	T50REC23	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-45.0		100	90	225N
92	FSNE01-00042	T30REC24	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-32.0		100	90	135N
93	FSNE01-00037	T50REC24	黑色	PA66 HIRHS	-40°C~105°C	3.0-6.0	4.0-45.0		100	90	225N
94	FSNF01-00023	TC4HFT6LG	黑色	PA66 HIRHS	-40°C~105°C	6.3-7.0	0.6-5.1		45	150	
95	FSNF01-00002	TC4FT6LG	黑色	PA66 HIRHS	-40°C~105°C	6.3-7.0	0.6-5.1		45	150	
96	FSNF01-00003	TC2FT6LG	黑色	PA66 HIRHS	-40°C~105°C	6.3-7.0	0.6-5.1		45	150	
97	FSNF01-00024	BCHFTOVAL	黑色	PA66 HIRHS	-40°C~105°C	6.5×12.5 6.5×13.0	0.6-6.0		53	150	
98	FSNF01-00021	BCFTOVAL	黑色	PA66 HIRHS	-40°C~105°C	6.5×12.5 6.5×13.0	0.6-6.0		53	150	
99	FSNF01-00022	BCFTOVAL	自然色	PA66 HIRHS	-40°C~105°C	6.5×12.5 6.5×13.0	0.6-6.0		53	150	
100	FSNF01-00017	SOC11FTOVAL	黑色	PA66 HIRHS	-40°C~105°C	6.5×12.5 6.5×13.0	0.6-6.75	20 	53	150	
101	FSNF01-00020	SOC11FTOVAL	自然色	PA66 HIRHS	-40°C~105°C	6.5×12.5 6.5×13.0	0.6-6.75	20 	53	150	
102	FSNK01-00010	BCHSFT712-90deg	黑色	PA66 HIRHS	-40°C~105°C	7x12	0.8-3.0		53	150	
103	FSNF01-00009	BCHSFT712	黑色	PA66 HIRHS	-40°C~105°C	7.0x12.0	0.6-3.2		53	150	
104	FSNF01-00011	BC70SFT712	黑色	PA66 HIRHS	-40°C~105°C	7.0x12.0	0.6-3.2		53	150	
105	FSNF01-00019	SOC20SFT712-S	黑色	PA66 HIRHS	-40°C~105°C	7.0x12.0	0.7-3.2	20 	53	150	
106	FSNK01-00007	L mini channel	黑色	PA66 HIRHS	-40°C~105°C						
107	FSNK01-00008	SOC20D7	黑色	PA66 HIRHS	-40°C~105°C	M7		20			

108	FSNH01-00005	T30SOS-AS-SFT6.5-7E-MD	黑色	PA66 HIRHS+EPDM	-40°C~105°C	6.3-6.7	0.5-1.3	1.0-25.0	Y		80	200	200N
109	FSNH01-00008	T60XSOSFT712-E-MD	黑色	PA66 HIRHS+EPDM	-40°C~105°C	7.0x12.0	0.6-2.0	1.5-25.0	Y		80	200	225N
110	FSNH01-00007	BCH5FT712-MD	黑色	PA66 HIRHS+EPDM	-40°C~105°C	7.0x12.0	0.6-1.8		Y		80	200	
111	FSNH01-00009	BC70SFT712-MD	黑色	PA66 HIRHS+EPDM	-40°C~105°C	7.0x12.0	0.7-1.8		Y		80	200	
112	FSNF01-00016	SOC20SFT712S-MD	黑色	PA66 HIRHS	-40°C~105°C	7.0x12.0	0.6-2.0		Y 20		80	200	
113	FSNJ01-00001	T50SOSBS5-6-HE	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		1.0-35.0			45	150	225N
114	FSNJ01-00037	T50SOSBS5-6-HE2	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		1.0-35.0			45	150	225N
115	FSNJ01-00004	T50SOSBS5SE	黑色	PA66 HIRHS	-40°C~105°C	M5		1.0-35.0			45	110	225N
116	FSNJ01-00005	T50SOSBS56E	黑色	PA66 HIRHS	-40°C~105°C	M6		1.0-35.0			45	110	225N
117	FSNJ01-00044	T50SOSBS56E	灰色	PA46	-40°C~150°C	M6		1.0-35.0			45	110	225N
118	FSNJ01-00050	T50SOSBS55-6E	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		1.0-35.0			45	150	225N
119	FSNJ01-00006	T50SSBS5OT-E	黑色	PA66 HIRHS	-40°C~105°C	M5		5.0-35.0			45	110	225N
120	FSNJ01-00007	T50SSBS6OT-E	黑色	PA66 HIRHS	-40°C~105°C	M6		5.0-35.0			45	110	225N
121	FSNJ01-00043	T50SSBS6OT-E	灰色	PA46	-40°C~150°C	M6		5.0-35.0			45	110	225N
122	FSNJ01-00027	T50RDSBS5-6	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		5.0-45.0			45	150	225N
123	FSNJ01-00029	T120SDSBS5-6	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		5.0-80.0			45	150	535N
124	FSNJ01-00010	T120RDSBS5-6	黑色	PA66 HIRHS	-40°C~105°C	T5/M5/M6		5.0-105.0			45	150	535N
125	FSNJ01-00021	T50RSBS-M8	黑色	PA66 HIRHS	-40°C~105°C	M8		4.0-45.0			45	150	225N
126	FSNJ01-00012	T120RSBS-M8	黑色	PA66 HIRHS	-40°C~105°C	M8		5.0-105.0			45	150	535N
127	FSNJ01-00022	T50RSBS-M10	黑色	PA66 HIRHS	-40°C~105°C	M10		4.0-45.0			45	150	225N
128	FSNJ01-00023	T120RSBS-M10	黑色	PA66 HIRHS	-40°C~105°C	M10		5.0-105.0			45	150	535N
129	FSNJ01-00013	T50RCPCM6	黑色	PA66 HIRHS	-40°C~105°C	M6		1.5-45.0					225N
130	FSNJ01-00014	T120RCPCM6	黑色	PA66 HIRHS	-40°C~105°C	M6		5.0-1-5.0					535N
131	FSNJ01-00046	T50RCPCM8	黑色	PA66 HIRHS	-40°C~105°C	M8		1.5-45.0					225N
132	FSNJ01-00018	T120RCPCM8	黑色	PA66 HIRHS	-40°C~105°C	M8		5.0-1-5.0					535N
133	FSNJ01-00015	T50RDHDM6	黑色	PA66 HIRHS	-40°C~105°C	M6		1.5-45.0					225N
134	FSNJ01-00016	T120RDHDM6	黑色	PA66 HIRHS	-40°C~105°C	M6		5.0-105.0					535N
135	FSNJ01-00019	T50RDHDM8	黑色	PA66 HIRHS	-40°C~105°C	M8		1.5-45.0					225N
136	FSNJ01-00020	T120RDHDM8	黑色	PA66 HIRHS	-40°C~105°C	M8		5.0-105.0					535N
137	FSNL01-00003	T30RMB3APT	黑色	PA66	-40°C~85°C			1.0-30.0					135N
138	FSNL01-00004	T30RMB4APT	黑色	PA66	-40°C~85°C			1.0-30.0					135N
139	FSNM01-00003	T50SVC5	黑色	PA66 HIRHS	-40°C~105°C	管径4.5-5.2		2.0-35.0					225N
140	FSNM01-00010	T50SVC6.5	黑色	PA66 HIRHS	-40°C~105°C	管径6.5-8.0		2.0-35.0					225N
141	FSNM01-00002	T50SVCOC7-9	黑色	PA66 HIRHS	-40°C~105°C	管径4.5-5.2		1.0-35.0					225N
142	FSNM01-00001	T50SVCOC9-11A	黑色	PA66 HIRHS	-40°C~105°C	管径9.0-11.0		1.0-35.0					225N
143	FSNM01-00012	T50SVCOC9-11B	黑色	PA66 HIRHS	-40°C~105°C	管径9.0-11.0		1.0-35.0					225N

144	FSNM01-00052	T30ROC1A	黑色	PA66 HIRHS	-40℃~105℃	管径4.0-10.0	4.0-35.0		135N		
145	FSNM01-00029	T50ROC1A	黑色	PA66 HIRHS	-40℃~105℃	管径4.0-10.0	4.0-45.0		225N		
146	FSNM01-00004	T50SVCOC10-14	黑色	PA66 HIRHS	-40℃~105℃	管径10.0-14.0	2.0-35.0		225N		
147	FSNM01-00005	T50SVCOC15-18	黑色	PA66 HIRHS	-40℃~105℃	管径15.0-18.0	2.0-35.0		225N		
148	FSNM01-00006	T50SVCOC19-24.5	黑色	PA66 HIRHS	-40℃~105℃	管径19.0-24.5	2.0-35.0		225N		
149	FSNM01-00007	T50SVCOC25-31	黑色	PA66 HIRHS	-40℃~105℃	管径25.0-31.0	2.0-35.0		225N		
150	FSNM01-00011	T50SVCOC31-39	黑色	PA66 HIRHS	-40℃~105℃	管径31.0-39.0	2.0-35.0		225N		
151	FSNM01-00022	T50RCTC5-9FT7	黑色	PA66 HIRHS	-40℃~105℃	6.8-7.2 管径5.0-9.0	0.7-6.0 1.0-50.0		45	150	225N
152	FSNM01-00016	DCTC20SFT10X10	橘色	PA6	-40℃~105℃	10x10 管径20	1.0-1.8				
153	FSNM01-00018	DCTC25SFT10X10	橘色	PA6	-40℃~105℃	10x10 管径25	1.0-1.8				
154	FSNG01-00012	CCOVAL	黑色	PA66 HIRHS	-40℃~105℃	6.5x12.5 6.5x13.0	0.6-6.0		53	150	
155	FSNG01-00013	CC1FT7W	黑色	PA66 HIRHS	-40℃~105℃	6.8-7.2	0.8-5.0		53	150	
156	FSNG01-00014	CC2SFT712	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.6-2.6		53	150	
157	FSNG01-00015	CC3SFT712	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.7-3.0		53	150	
158	FSNG01-00016	CC4SFT712	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.6-3.0		53	150	
159	FSNG01-00020	CC5SFT712	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.6-3.0		53	150	
160	FSNG01-00024	CC7SFT712	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.6-3.0		53	150	
161	FSNG01-00031	YCCKSFT62x122PT1.7-2.3	黑色	PA66 HIRHS	-40℃~105℃	7.0x12.0	0.6-3.0		53	150	